ZooKeys 564: 47–70 (2016)
doi: 10.3897/zookeys.564.7018
http://zookeys.pensoft.net

RESEARCH ARTICLE

A peer-reviewed open-access journal
ZooKeys
Launched to accelerate biodiversity research

Larval descriptions of the family Porcellanidae: A worldwide annotated compilation of the literature (Crustacea, Decapoda)

María José Vela[1], Juan Ignacio González-Gordillo[1]

1 *Instituto Universitario de Investigación Marina INMAR, Universidad de Cádiz, Campus de Excelencia Internacional del Mar (CEIMAR). 11510- Puerto Real, Cádiz, Spain*

Corresponding author: *Juan Ignacio González-Gordillo* (nacho.gonzalez@uca.es)

Academic editor: *S. De Grave* | Received 10 November 2015 | Accepted 30 December 2015 | Published 16 February 2016

http://zoobank.org/33DCD77D-7065-4133-AAEC-4AE8F6123E92

Citation: Vela MJ, González-Gordillo JI (2016) Larval descriptions of the family Porcellanidae: A worldwide annotated compilation of the literature (Crustacea, Decapoda). ZooKeys 564: 47–70. doi: 10.3897/zookeys.564.7018

Abstract

For most of the family Porcellanidae, which comprises 283 species, larval development remains to be described. Full development has been only described for 52 species, while part of the larval cycle has been described for 45 species. The importance of knowing the complete larval development of a species goes beyond allowing the identification of larval specimens collected in the plankton. Morphological larval data also constitute a support to cladistic techniques used in the establishment of the phylogenetic status (see Hiller et al. 2006, Marco-Herrero et al. 2013). Nevertheless, the literature on the larval development of this family is old and widely dispersed and in many cases it is difficult to collect the available information on a particular taxon. Towards the aim of facilitating future research, all information available on the larval development of porcellanids has been compiled. Following the taxonomic checklist of Porcellanidae proposed by Osawa and McLaughlin (2010), a checklist has been prepared that reflects the current knowledge about larval development of the group including larval stages and the method used to obtain the larvae, together with references. Those species for which the recognised names have been changed according to Osawa and McLaughlin (2010) are indicated.

Keywords

Checklist, larval development, Anomura, zoea, megalopa

Copyright *María J.Vela & Juan I. González-Gordillo.* This is an open access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Introduction

Porcellanidae, commonly known as porcelain crabs, is a family of decapods belonging to the infraorder Anomura (Crustacea, Decapoda). The group comprises 283 species according to the classification proposed by Osawa and McLaughlin (2010). Like most decapods, their life cycle contains a planktonic larval phase presenting various morphological changes during ontogenic development; this produces different larval morphologies that vary even within the same species. This high inter- and intra-specific morphological diversity poses many difficulties both for the identification of specimens from plankton samples and for the taxonomic description of undescribed larval stages. Morphological studies are thus of crucial importance if such problems are to be overcome.

Although decapod larvae were first described almost 250 years ago (*Cancer pagurus*, described as *Cancer germanicus* by Linnaeus, 1767), the morphology of a porcellanid larva was not described until 1835, when J. Vaughan Thompson published a brief description of a larva of *Porcellana* reared from eggs of females collected in British waters. Eight years later, Dujardin (1843) presented for the first time a more comprehensive description of a porcellanid larva, describing the zoeal stage of *Pisidia longicornis* (as *Porcellana longicornis*). Numerous descriptions of the larval stages have been published during more than 170 years. The number of published descriptions of the larval morphology of porcellanids, and of other groups of decapods, has grown exponentially since the 1960's (Martin 1984, Rice 1993). Several researchers, including Gore (1968–1977) or the team constituted by Hernández, Bolaños and Graterol (see papers from 1996 to 2012), have made special contributions to knowledge of porcellanid larval morphology.

González-Gordillo et al. (2001) showed that, in addition to the limited number of descriptive studies on decapod larval morphology, a large percentage are based on organisms collected from plankton samples or reared under laboratory conditions from females that were not accurately identified. Furthermore, several published larval descriptions are brief or very general, with inadequate illustrations that are far from the well-accepted standard proposed by Clark et al. (1998).

In addition, the literature on larval descriptions is scattered or very old; since literature of this kind is often not available in digital formats for download or online request, or it has been published in local scientific journals ("grey" literature), it is complicated to access it using common bibliographic search engines. As a consequence, in studies requiring the identification of planktonic organisms (with the eventual need to present identification keys), or in morphological studies in which new larval stages are described, where it becomes necessary to compare results with those reported in previous publications of larval descriptions, the researcher has a difficult task in compiling the available information for the target taxon. Although this situation has yielded publication of several bibliographic compilations for brachyurans, like those of Gurney (1939), Soltanpour-Gargari et al. (1989), Martin (1984), Wear (1985), Wehrtman and Baez (1997) and González-Gordillo et al. (2001), there is still no published compilation on porcellanids on a worldwide basis.

Many larval publications first appeared more than 30 years ago; for example according to González-Gordillo et al. (2001), 86.6 % of the descriptions made for species of decapods from the Gibraltar Strait were published more than 25 years ago. The scientific name of a species described then could have changed, or two or more different species could have been reclassified as one species. This complicates even further the bibliographic search because a search using the current name of a target species will almost certainly omit old studies of that species under a name that has changed or been superseded.

Therefore, the objective of this study is three-fold: 1) to compile the available literature on porcellanid larval morphologies; 2) to record the possible changes in the nomenclature of species, or synonymies; and 3) to describe the state-of-the-art on the larval development of species belonging to the family Porcellanidae.

Methods

The data set of this study comprises a total of 133 entries obtained from 83 published papers (from 1835 to 2012). Search engines and scientific databases such as *Google Scholar, Scopus, Science Direct* and *Web of Science* have been used for the bibliographic compilation. The current total number of porcellanid species and the taxonomic classification used for the present checklist follow those of Osawa and McLaughlin (2010). The current validity of the species has been also checked by consulting the *World Register of Marine Species* (http://www.marinespecies.org).

In the checklist, the status of current knowledge of the larval development is specified for each species as follows: i) the author(s) and the date of publication of the larval description; ii) the specific larval stages described, using the following classification: prezoeal stage (PR), first to fifth zoeal stage (Z1-5), and megalopal stage (M); iii) the method used to obtain the larvae, according to the following designations: from plankton samples (Pl), larvae reared under laboratory conditions from an identified ovigerous females (Lab) and larvae obtained from plankton and by instar-to-instar laboratory rearing, from unknown parentage, but often a species recognizable from its postlarval or juvenile stages (P+L). Entries marked with asterisk mean that the larval description available, in our opinion, is accurate enough to establish comparisons with other species and have all stages fully described and illustrated. In the checklist, if the taxonomical name of the species described does not match the current taxonomic name according to Osawa and McLaughlin (2010), this is indicated by '*as*' followed by the name of the species cited in the description.

Results

The larval development of porcellanids usually consists of two zoeal stages and one megalopal stage, with the exception of *Petrocheles spinosus,* which has five zoeal stages.

Description of the larval development of porcellanids first appeared in 1843, when Dujardin published a description of the first zoeal stage of *Pisidia longicornis*, referred



Figure 1. Number of papers describing the larval morphology of porcellanids. Number of publications per year (left-hand scale) and cumulative number of publications represented by the blue line (right-hand scale).



Figure 2. Number and proportion of porcellanid species (N = 283) for which undescribed species (blue sector), full larval description (orange sector) and partial larval description (yellow sector) exists.

to as *Porcellana longicornis*. The larval descriptions available were poor in number until the 1960's and 1970's, when an increasing trend in the number of publications is observed; this was possibly due to the increased number of scientists specializing in this area, to the increased facilities for cultivating larvae in laboratory conditions, and to the advances in microscope technology (Rice 1993). The historical peak for the number of publications per annum occurred in the late 1990's and at the beginning of the current century.



Figure 3. State of current knowledge of larval development of Porcellanidae, grouped by genus. Shown in orange is the percentage of species for which larval development has been completely described. Shown in grey is the percentage of species for which only some of the larval stages have been described (left-hand scale). The total number of species per genus is also represented with a solid blue line (right-hand scale).

Currently, the family Porcellanidae family consists of 283 species (Osawa and McLaughlin 2010). Complete larval development has been described for 52 species (18.4%), while only some larval stages have been described for another 45 species (15.9%). For the remaining 186 species (65.7%), none of the larval stages has been described.

The current knowledge of larval development by genus (percentages) and the number of species in each genus are shown in Figure 3. Although the family Porcellanidae consists of 29 genera, the larval stages have not been described for 12 genera. The genera with the most numerous species are *Petrolisthes* (106 species) and *Pachycheles* (44 species); however, the complete larval development has been described for only 21 species of *Petrolisthes* (19.8%) and only nine species of *Pachycheles* (20.4%).

Annotated bibliography of porcellanid larvae

Family Porcellanidae Haworth, 1825

Thompson (1935) as *Porcellana* sp; Z1: Lab

Webb (1921) as *Porcellana* sp; M: Pl

Gurney (1924) as Porcellanid larva; Z1, Z2: Pl

Aliaporcellana kikuchii Nakasone & Miyake, 1969: larvae undescribed

Aliaporcellana pygmaea (De Man, 1902): larvae undescribed
Aliaporcellana taiwanensis Dong, Li & Chan, 2011: larvae undescribed
Aliaporcellana suluensis (Dana, 1852): larvae undescribed
Aliaporcellana telestophila (Johnson, 1958): larvae undescribed
Allopetrolisthes angulosus (Guérin, 1835): full larval description
*Wehrtmann et al. (1996); PR, Z1, Z2, M: Lab
Allopetrolisthes punctatus (Guérin, 1835): larvae undescribed
Ancylocheles gravelei (Sankolli, 1963): larvae undescribed
Capilliporcellana murakamii (Miyake, 1942): larvae undescribed
Capilliporcellana wolffi Haig, 1981: larvae undescribed
Clastotoechus diffractus (Haig, 1957): larvae undescribed
Clastotoechus gorgonensis Werding & Haig, 1983: larvae undescribed
Clastotoechus hickmani Harvey, 1999: larvae undescribed
Clastotoechus lasios Harvey, 1999: larvae undescribed
Clastotoechus nodosus (Streets, 1872): full larval description
*Hernández et al. (2003); Z1, Z2, M: Lab
Enosteoides lobatus Osawa, 2009: larvae undescribed
Enosteoides melissa (Miyake, 1942): larvae undescribed
Enosteoides ornatus (Stimpson, 1858): partial larval description
Sankolli (1967) as *Porcellana ornata*; PR, Z1: Lab
Ko (2000); Z1: Lab
Enosteoides palauensis (Nakasone & Miyake, 1968): larvae undescribed
Enosteoides philippinesnsis Dolorosa & Werding, 2014: larvae undescribed
Euceramus panatelus Glassell, 1938: larvae undescribed
Euceramus praelongus Stimpson, 1860: full larval description
Roberts (1968); Z1, Z2, M: Lab
Maris (1983); Z1, Z2: Pl
Euceramus transversilineatus (Lockington, 1878): larvae undescribed
Eulenaios cometes (Walker, 1887): partial larval description
Ng and Nakasone (1993); Z1: Lab
Heteropolyonyx biforma Osawa, 2001: larvae undescribed
Heteroporcellana corbicola (Haig, 1960): larvae undescribed
Liopetrolisthes mitra (Dana, 1852): larvae undescribed
Lissoporcellana demani Dong & Li, 2014: larvae undescribed
Lissoporcellana flagellicola Osawa & Fujita, 2005: larvae undescribed
Lissoporcellana furcillata (Haig, 1965): larvae undescribed
Lissoporcellana miyakei Haig, 1981: larvae undescribed
Lissoporcellana monodi Osawa, 2007: larvae undescribed
Lissoporcellana nakasonei (Miyake, 1978): larvae undescribed
Lissoporcellana nitida (Haswell, 1882): larvae undescribed
Lissoporcellana pectinata Haig, 1981: larvae undescribed
Lissoporcellana quadrilobata (Miers, 1884): larvae undescribed
Lissoporcellana spinuligera (Dana, 1853): larvae undescribed

Megalobrachium erosum (Glassell, 1936): larvae undescribed
Megalobrachium festae (Nobili, 1901): larvae undescribed
Megalobrachium garthi Haig, 1957: larvae undescribed
Megalobrachium mortenseni Haig, 1962: partial larval description
Kraus (2006); Z1, Z2: Pl
Megalobrachium pacificum Gore & Abele, 1974: larvae undescribed
Megalobrachium peruvianum Haig, 1960: larvae undescribed
Megalobrachium poeyi (Guérin-Méneville, 1855): full larval description
*Gore (1971b); Z1, Z2, M: Lab
Megalobrachium roseum (Rathbun, 1900): full larval description
*Hernández et al. (2002); Z1, Z2, M: Lab
Megalobrachium sinuimanus (Lockington, 1878): larvae undescribed
Megalobrachium smithi (Glassell, 1936): larvae undescribed
Megalobrachium soriatum (Say, 1818): full larval description
*Gore (1973b); Z1, Z2, M: Lab
Megalobrachium tuberculipes (Lockington, 1878): larvae undescribed
Minyocerus angustus (Dana, 1852): partial larval description
Hernández et al. (1996); Z1: Lab
Minyocerus kirki Glassell, 1938: larvae undescribed
Neopetrolisthes alobatus (Laurie, 1926): larvae undescribed
Neopetrolisthes maculatus (H. Milne Edwards, 1837): partial larval description
Fujita and Osawa (2003); Z1, Z2: Lab
Kraus (2006); Z1: Pl
Neopetrolisthes spinatus Osawa & Fujita, 2001: partial larval description
Fujita and Osawa (2003); Z1, Z2: Lab
Neopisosoma angustifrons (Benedict, 1901): full larval description
*Gore (1977); Z1, Z2, M: Lab
Neopisosoma bicapillatum Haig, 1960: larvae undescribed
Neopisosoma curacaoense (Schmitt, 1924): larvae undescribed
Neopisosoma dohenyi Haig, 1960: larvae undescribed
Neopisosoma mexicanum (Streets, 1871): larvae undescribed
Neopisosoma neglectum Werding, 1986: full larval description
*Werding and Müller (1990); Z1, Z2, M: Lab
Neopisosoma orientale Werding, 1986: larvae undescribed
Novorostrum decorocrus Osawa, 1998: full larval description
*Fujita and Osawa (2005); Z1, Z2, M: Lab
Novorostrum indicum (De Man, 1893): partial larval description
Osawa (2000); Z1, Z2: Lab
Novorostrum phuketense Osawa, 1998: larvae undescribed
Novorostrum securiger (Melin, 1939): larvae undescribed
Orthochela pumila Glassell, 1936: larvae undescribed
Pachycheles sp.
Williamson (1970) as *Pachycheles* nrs39; Z2: Pl

Pachycheles ackleianus A. Milne-Edwards, 1880: larvae undescribed
Pachycheles attaragos Harvey & de Santo, 1997: larvae undescribed
Pachycheles barbatus A. Milne-Edwards, 1878: larvae undescribed
Pachycheles bellus (Osorio, 1887): larvae undescribed
Pachycheles biocellatus (Lockington, 1878): larvae undescribed
Pachycheles calculosus Haig, 1960: larvae undescribed
Pachycheles chacei Haig, 1956: partial larval description
Kraus (2006); Z1, Z2, M: Pl
Pachycheles chubutensis Boschi, 1963: partial larval description
González et al. (2006); Z1: Lab
Pachycheles crassus (A. Milne-Edwards, 1869): larvae undescribed
Pachycheles crinimanus Haig, 1960: larvae undescribed
Pachycheles cristobalensis Gore, 1970: larvae undescribed
Pachycheles garciaensis (Ward, 1942): partial larval description
Osawa (1997a); Z1: Lab
Pachycheles granti Haig, 1965: larvae undescribed
Pachycheles greeleyi (Rathbun, 1900): larvae undescribed
Pachycheles grossimanus (Guérin, 1835): larvae undescribed
Pachycheles hertwigi Balss, 1913: partial larval description
Ko (1999); Z1: Lab
Pachycheles holosericus Schmitt, 1921: larvae undescribed
Pachycheles johnsoni Haig, 1965: larvae undescribed
Pachycheles laevidactylus Ortmann, 1892: full larval description
*Boschi et al. (1967) as *Pachycheles haigae*; Z1, Z2, M: Lab
Pachycheles marcortezensis Glassell, 1936: larvae undescribed
Pachycheles monilifer (Dana, 1852): full larval description
*Gore (1973a); Z1, Z2, M: Lab
Pachycheles natalensis (Krauss, 1843): full larval description
Sankolli (1967); Z1: Lab
*Shenoy and Sankolli (1973a); Z1, Z2, M: Lab
*Yaqoob (1979d); Z1, Z2, M: Lab
Pachycheles panamensis Faxon, 1893: larvae undescribed
Pachycheles pectinicarpus Stimpson, 1858: larvae undescribed
Pachycheles pilosus (H. Milne Edwards, 1837): full larval description
*Piñate et al. (2005); Z1, Z2, M: Lab
Kraus (2006); Z1: Pl
Pachycheles pisoides (Heller, 1865): larvae undescribed
Pachycheles pubescens Holmes, 1900: full larval description
*McMillan (1972); Z1, Z2, M: Lab
*Gonor and Gonor (1973); PR, Z1, Z2, M: P+L
Pachycheles riisei (Stimpson, 1859): partial larval description
Kraus (2006); Z1: Pl
Pachycheles rudis Stimpson, 1859: full larval description

Knight (1966); Z1, Z2: Lab
*Gonor and Gonor (1973); PR, Z1, Z2, M: Lab
Pachycheles rugimanus A. Milne-Edwards, 1880: larvae undescribed
Pachycheles sahariensis Monod, 1933: larvae undescribed
Pachycheles sculptus (H. Milne Edwards, 1837): partial larval description
Osawa (1997a); Z1: Lab
Pachycheles serratus (Benedict, 1901): full larval description
*Rodríguez et al. (2004); Z1, Z2, M: Lab
Kraus (2006); Z1: Pl
Pachycheles setiferous Yang, 1996: larvae undescribed
Pachycheles setimanus (Lockington, 1878): larvae undescribed
Pachycheles spinidactylus Haig, 1957: larvae undescribed
Pachycheles spinipes (A. Milne-Edwards, 1873): larvae undescribed
Pachycheles stevensii Stimpson, 1858: full larval description
Kurata (1964); Z1, Z2: Pl
*Konishi (1987); Z1, Z2, M: Lab
Pachycheles subsetosus Haig, 1960: larvae undescribed
Pachycheles susanae Gore & Abele, 1974: partial larval description
Kraus (2006); Z1, Z2: Pl
Pachycheles tomentosus Hendersson, 1893: full larval description
* Tirmizi and Yaqoob (1979); Z1, Z2, M: Lab
Pachycheles trichotus Haig, 1960: larvae undescribed
Pachycheles velerae Haig, 1960: larvae undescribed
Pachycheles vicarius Nobili, 1901: larvae undescribed
Parapetrolisthes tortugensis (Glassell, 1945): partial larval description
Kraus (2006); Z1: Pl
Petrocheles australiensis (Miers, 1876): larvae undescribed
Petrocheles spinosus (Miers, 1876): full larval description
Gurney (1924); Z1: Pl
*Wear (1965); Z1-Z5: Pl; M: P+L
Wear (1966); PR: Lab
Petrolisthes aegyptiacus Werding & Hiller, 2007: larvae undescribed
Petrolisthes agassizii Faxon, 1893: larvae undescribed
Petrolisthes amoenus (Guérin Méneville, 1855): larvae undescribed
Petrolisthes armatus (Gibbes, 1850): full larval description
Lebour (1943); Z1: Lab
Lebour (1950); Z2: Pl
*Gore (1970); Z1, Z2, M: Lab
*Gore (1972a); Z1, Z2, M: Lab
Maris (1983); Z1, Z2: Pl
Petrolisthes artifrons Haig, 1960: larvae undescribed
Petrolisthes asiaticus (Leach, 1820): partial larval description
Osawa (1997b); Z1, Z2: Lab

Petrolisthes bifidus Werding & Hiller, 2004: larvae undescribed
Petrolisthes bispinosus Borradaile, 1900: larvae undescribed
Petrolisthes bolivarensis Werding & Kraus, 2003: full larval description
Kraus (2006); Z1, Z2, M: Pl
Petrolisthes borradailei Kropp, 1984: larvae undescribed
Petrolisthes boscii (Audouin, 1826): full larval description
*Yaqoob (1979a); Z1, Z2, M: Lab
Petrolisthes brachycarpus Sivertsen, 1933: larvae undescribed
Petrolisthes cabrilloi Glassell, 1945: larvae undescribed
Petrolisthes caribensis Werding, 1983: partial larval description
Kraus et al. (2004); Z1, Z2: Lab
Kraus (2006); Z1, Z2: Pl
Petrolisthes carinipes (Heller, 1861): larvae undescribed
Petrolisthes celebesensis Haig, 1981: larvae undescribed
Petrolisthes cinctipes (Randall, 1840): full larval description
*Gonor and Gonor (1973); PR, Z1, Z2, M: Lab
Petrolisthes coccineus (Owen, 1839): partial larval description
Osawa (1995); Z1, Z2: Lab
Petrolisthes cocoensis Haig, 1960: larvae undescribed
Petrolisthes columbiensis Werding, 1983: partial larval description
Kraus (2006); Z1: Pl
Petrolisthes crenulatus Lockington, 1878: larvae undescribed
Petrolisthes decacanthus Ortmann, 1897: larvae undescribed
Petrolisthes desmarestii (Guérin, 1835): larvae undescribed
Petrolisthes dissimulatus Gore, 1983: partial larval description
Kraus (2006); Z1: Pl
Petrolisthes donadio Hiller & Werding, 2007: larvae undescribed
Petrolisthes donanensis Osawa, 1997: larvae undescribed
Petrolisthes edwardsii (de Saussure, 1853): partial larval description
Kraus (2006); Z1: Pl
Petrolisthes eldredgei Haig & Kropp 1987: larvae undescribed
Petrolisthes elegans Haig, 1981: larvae undescribed
Petrolisthes elegantissimus Werding & Hiller, 2015: larvae undescribed
Petrolisthes elongatus (H. Milne Edwards, 1837): full larval description
*Wear (1964a); Z1: Lab; Z2, M: P+L
*Greenwood (1965); PR, Z1: Lab; Z2, M: P+L
Petrolisthes eriomerus Stimpson, 1871: full larval description
Forss and Coffin (1960); Z1, M: Lab
*Gonor and Gonor (1973); PR, Z1, Z2, M: Lab
Petrolisthes extremus Kropp & Haig, 1994: larvae undescribed
Petrolisthes fimbriatus Borradaile, 1898: larvae undescribed
Petrolisthes galapagensis Haig, 1960: larvae undescribed
Petrolisthes galathinus (Bosc, 1802): partial larval description

Kraus (2006); Z1: Pl
Petrolisthes gertrudae Werding, 1996: larvae undescribed
Petrolisthes glasselli Haig, 1957: larvae undescribed
Petrolisthes gracilis Stimpson, 1859: larvae undescribed
Petrolisthes granulosus (Guérin, 1835): full larval description
*Saelzer et al. (1986); PR, Z1, Z2, M: Lab
Petrolisthes haigae Chace, 1962: partial larval description
Hernández et al. (2007); Z1: Lab
Kraus (2006); Z1: Pl
Petrolisthes haplodactylus Haig, 1988: larvae undescribed
Petrolisthes hastatus Stimpson, 1858: partial larval description
Osawa (1997b); Z1, Z2: Lab
Petrolisthes haswelli Miers, 1884: larvae undescribed
Petrolisthes heterochrous Kropp, 1986: larvae undescribed
Petrolisthes hians Nobili, 1901: larvae undescribed
Petrolisthes hirtipes Lockington, 1878: larvae undescribed
Petrolisthes hirtispinosus Lockington, 1878: larvae undescribed
Petrolisthes hispaniolensis Werding & Hiller, 2005: larvae undescribed
Petrolisthes holotrichus Nobili, 1901: larvae undescribed
Petrolisthes inermis (Heller, 1862): larvae undescribed
Petrolisthes japonicus (De Haan, 1849): partial larval description
Muraoka and Konishi (1987); Z1: Lab
Osawa (1995); Z1, Z2: Lab
Petrolisthes jugosus Streets, 1872: partial larval description
Kraus (2006); Z1: Pl
Petrolisthes kranjiensis Johnson, 1970: larvae undescribed
Petrolisthes laevigatus (Guérin, 1835): full larval description
*Albornoz and Wehrtmann (1996); PR, Z1, Z2, M: Lab
Petrolisthes lamarckii (Leach, 1820): full larval description
Sankolli (1967); Z1: Lab
*Shenoy and Sankolli (1975); Z1, Z2, M: Lab
*Yaqoob (1979c); Z1, Z2, M: Lab
Petrolisthes leptocheles (Heller, 1861): larvae undescribed
Petrolisthes lewisi (Glassell, 1936): partial larval description
Kraus (2006); Z1: Pl
Petrolisthes limicola Haig, 1988: larvae undescribed
Petrolisthes lindae Gore & Abele, 1974: larvae undescribed
Petrolisthes magdalenensis Werding, 1978: full larval description
Müller and Werding (1990); Z1, Z2, M: Lab
*Hernández and Magan (2012); Z1, Z2, M: Lab
Petrolisthes manimaculis Glassell, 1945: larvae undescribed
Petrolisthes marginatus Stimpson, 1859: partial larval description
Kraus (2006); Z1: Pl

Petrolisthes masakii Miyake, 1943: larvae undescribed
Petrolisthes melini Miyake & Nakasone, 1966: partial larval description
Osawa (1995) as *Petrolisthes carinipes*; Z1, Z2: Lab
Petrolisthes mesodactylon Kropp, 1984: larvae undescribed
Petrolisthes militaris (Heller, 1862): larvae undescribed
Petrolisthes miyakei Kropp, 1984: larvae undescribed
Petrolisthes moluccensis (De Man, 1888): partial larval description
Osawa (1997b); Z1, Z2: Lab
Petrolisthes monodi Chace, 1956: partial larval description
Lebour (1959); M: Pl
Petrolisthes nanshensis Yang, 1996: larvae undescribed
Petrolisthes nigrunguiculatus Glassell, 1936: larvae undescribed
Petrolisthes nobilii Haig, 1960: partial larval description
Hernández et al. (2007); Z1: Lab
Petrolisthes novaezelandiae Filhol, 1885: full larval description
*Wear (1964b); Z1, Z2, M: P+L
*Greenwood (1965); PR, Z1: Lab; Z2, M: P+L
Petrolisthes obtusifrons Miyake, 1937: larvae undescribed
Petrolisthes ornatus Paulson, 1875: full larval description
*Yaqoob (1977b); Z1, Z2, M: Lab
Petrolisthes ortmanni Nobili, 1901: partial larval description
Kraus (2006); Z1: Pl
Petrolisthes perdecorus Haig, 1981: larvae undescribed
Petrolisthes platymerus Haig, 1960: full larval description
*Gore (1972b); Z1, Z2, M: Lab
Petrolisthes politus (Gray, 1831): full larval description
*Hernández et al. (2000); Z1, Z2, M: Lab
Petrolisthes polymitus Glassell, 1937: larvae undescribed
Petrolisthes pubescens Stimpson, 1858: partial larval description
Osawa (1995); Z1, Z2: Lab
Petrolisthes quadratus Benedict, 1901: partial larval description
Kraus (2006); Z1: Pl
Petrolisthes rathbunae Schmitt, 1921: larvae undescribed
Petrolisthes robsonae Glassell, 1945: full larval description
*García-Guerrero et al. (2005); Z1, Z2, M: Lab
Petrolisthes rosariensis Werding, 1982: partial larval description
Kraus (2006); Z1, Z2: Pl
Petrolisthes rufescens (Heller, 1861): full larval description
*Yaqoob (1974); Z1, Z2, M: Lab
Petrolisthes sanfelipensis Glassell, 1936: larvae undescribed
Petrolisthes sanmartini Werding & Hiller, 2002: larvae undescribed
Petrolisthes scabriculus (Dana, 1852): larvae undescribed
Petrolisthes schmitti Glassell, 1936: larvae undescribed

Petrolisthes squamanus Osawa, 1996: larvae undescribed
Petrolisthes teres Melin, 1939: larvae undescribed
Petrolisthes tiburonensis Glassell, 1936: larvae undescribed
Petrolisthes tomentosus (Dana, 1852): partial larval description
    Osawa (1997b); Z1, Z2: Lab
Petrolisthes tonsorius Haig, 1960: full larval description
    *Pellegrini and Gamba (1985); Z1, Z2, M: Lab
    Kraus (2006); Z1: Pl
Petrolisthes tridentatus Stimpson, 1859: full larval description
    *Gore (1971c); Z1, Z2, M: Lab
    Kraus (2006); Z1: Pl
Petrolisthes trilobatus Osawa, 1996: partial larval description
    Ko (2004); Z1: Lab
Petrolisthes tuberculatus (Guérin, 1835): larvae undescribed
Petrolisthes tuberculosus (H. Milne Edwards, 1837): larvae undescribed
Petrolisthes tuerkayi Naderloo & Apel, 2014: larvae undescribed
Petrolisthes unilobatus Henderson, 1888: full larval description
    *Fujita et al. (2002); Z1, Z2, M: Lab
Petrolisthes uruma Osawa & Uyeno, 2013: larvae undescribed
Petrolisthes violaceus (Guérin, 1831): full larval description
    Faxon (1879) as *Porcellana macrocheles*; Z2: Pl
    *Wehrtmann et al. (1997); PR, Z1, Z2, M: Lab
Petrolisthes virgatus Paulson, 1875: larvae undescribed
Petrolisthes zacae Haig, 1968: full larval description
    *Gore (1975); Z1, Z2, M: Lab
Pisidia sp
    Barnich (1996); Z1, Z2: Pl
    Rice and Williamson (1977) as *Pisidia* sp asm10; Z1, Z2, M: Pl
Pisidia bluteli (Risso, 1816): full larval description
    Bourdillon-Casanova (1956) as *Porcellana bluteli*; Z1, Z2, M: Pl
    Bourdillon-Casanova (1960) as *Porcellana bluteli*; M: Pl
    Kaya and Özel (1992); Z1, Z2, M: Pl
Pisidia brasiliensis Haig, in Rodrigues da Costa, 1968: partial larval description
    Hernández et al. (1996); Z1: Lab
    Kraus (2006); Z1: Pl
Pisidia dehaanii (Krauss, 1843): full larval description
    *Yaqoob (1979b); Z1, Z2, M: Lab
Pisidia delagoae (Barnard, 1955): larvae undescribed
Pisidia dispar (Stimpson, 1858): full larval description
    Sheperd (1969); PR, Z1: Lab; Z2, M: P+L
Pisidia gordoni (Johnson, 1970): larvae undescribed
Pisidia inaequalis (Heller, 1861): partial larval description
    Gurney (1938) as *Porcellana inaequalis*; PR, Z1, Z2: Pl

Pisidia longicornis (Linnaeus, 1767): full larval description
Dujardin (1843) as *Porcellana longicornis*; Z1: Lab
Gosse (1856) as *Galathea*; Z2: Pl
Bate (1879) as *Porcellana longicornis*; Z1: Pl
Hesse (1884) as *Porcellana platycheles*; Z1: Pl
Sars (1889) as *Porcellana longicornis*; Z1, Z2: P+L
Williamson (1915) as *Porcellana longicornis*; Z1, M: Pl
Webb (1921) as *Porcellana longicornis*; Z1, Z2: Pl
Gurney (1942) as *Porcellana* sp; Z2: Pl
*Lebour (1943) as *Porcellana longicornis*; Z1, Z2, M: P+L
Kurian (1956) as *Porcellana longicornis*; Z1, Z2, M: Pl
Lebour (1959) as *Porcellana longicornis*; M: Pl
Le Roux (1966) as *Porcellana longicornis*; Z1, Z2, M: P+L
Pisidia longimana (Risso, 1816): partial larval description
Kaya and Özel (1992); Z1, Z2: Pl
Pisidia magdalenensis (Glassell, 1936): larvae undescribed
Pisidia serratifrons (Stimpson, 1858): partial larval description
Sankolli (1967) as *Pisidia spinulifrons*; PR, Z1: Lab
Kim and Ko (2011); Z1, Z2: Lab
Pisidia streptocheles (Stimpson, 1858): larvae undescribed
Pisidia streptochiroides (Johnson, 1970): partial larval description
Sheperd (1969); PR, Z1: Lab; Z2: P+L
Pisidia striata Yang and Sun, 1990: larvae undescribed
Pisidia vanderhorsti (Schmitt, 1924): partial larval description
*Schoppe (1994) as *Clastotoechus vanderhorsti*; PR, Z1, Z2: Lab
Pisidia variabilis (Yang & Sun, 1985): larvae undescribed
Polyonyx biunguiculatus (Dana, 1852): larvae undescribed
Polyonyx boucheti Osawa, 2007: larvae undescribed
Polyonyx bouvieri Saint Joseph, 1900: larvae undescribed
Polyonyx confinis Haig, 1960: larvae undescribed
Polyonyx gibbesi Haig, 1956: partial larval description
Gore (1968); PR, Z1, Z2: Lab
Maris (1983); Z1, Z2: Pl
Polyonyx haigae McNeil, 1968: larvae undescribed
Polyonyx hendersoni Southwell, 1909: full larval description
Sankolli (1967); PR, Z1: Lab
*Shenoy and Sankolli (1973b): Z1, Z2, M: Lab
Polyonyx loimicola Sankolli, 1965: full larval description
*Shenoy and Sankolli (1973b): Z1, Z2, M: Lab
Polyonyx maccullochi Haig, 1965: larvae undescribed
Polyonyx nitidus Lockington, 1878: larvae undescribed
Polyonyx obesulus Miers, 1884: larvae undescribed
Polyonyx pedalis Nobili, 1905: larvae undescribed

Polyonyx plumatus Yang & Xu, 1994: larvae undescribed
Polyonyx quadratus Chace, 1956: larvae undescribed
Polyonyx quadriungulatus Glassell, 1935: full larval description
*Knight (1966); Z1, Z2, M: Lab
Polyonyx senegalensis Chace, 1956: larvae undescribed
Polyonyx sinensis Stimpson, 1858: larvae undescribed
Polyonyx spina Osawa, 2007: larvae undescribed
Polyonyx splendidus Sankolli, 1963: larvae undescribed
Polyonyx thai Werding, 2001: larvae undescribed
Polyonyx transversus (Haswell, 1882): full larval description
Sheperd (1969); PR, Z1: Lab; Z2, M: P+L
Polyonyx triunguiculatus Zehntner, 1894: larvae undescribed
Polyonyx tulearis Werding, 2001: larvae undescribed
Polyonyx utinomii Miyake, 1943: larvae undescribed
Polyonyx vermicola Ng & Sasekumar, 1993: larvae undescribed
Porcellana africana Chace, 1956: larvae undescribed
Porcellana cancrisocialis Glassell, 1936: full larval description
*García-Guerrero et al. (2006); Z1, Z2, M: Lab
Porcellana caparti Chace, 1956: larvae undescribed
Porcellana corbicola Haig, 1960: larvae undescribed
Porcellana curvifrons Yang and Sun, 1990: larvae undescribed
Porcellana elegans Chace, 1956: larvae undescribed
Porcellana foresti Chace, 1956: larvae undescribed
Porcellana habei Miyake, 1961: larvae undescribed
Porcellana hancocki Glassell, 1938: larvae undescribed
Porcellana lillyae Lemaitre & Campos, 2000: larvae undescribed
Porcellana paguriconviva Glassell, 1936: larvae undescribed
Porcellana persica Haig, 1966: larvae undescribed
Porcellana platycheles (Pennant, 1777): full larval description
Couch (1843); Z1: Lab
Faxon (1879) as *Porcellana* (*Polyonyx*) *macrocheles*; Z2: Pl
Williamson (1915); Z1, M: Pl
Webb (1921); Z1: Pl
Lebour (1943); Z1, Z2, M: Lab
Le Roux (1961); PR, Z1, Z2, M: Lab
Kaya and Özel (1992); Z1, Z2, M: Pl
Barnich (1996); Z1, Z2: Pl
*González-Gordillo et al. (1996); Z1, Z2, M: Lab
Porcellana pulchra Stimpson, 1858: larvae undescribed
Porcellana sayana (Leach, 1820): full larval description
Brooks and Wilson (1881) as *Porcellana ocellata*; PR, Z1: Lab
Hernández et al. (1998); Z1, Z2, M: Lab
Porcellana sigsbeiana A. Milne-Edwards, 1880: full larval description

*Gore (1971a); Z1, Z2, M: Lab
Maris (1983); Z1, Z2: Pl
Porcellanella haigae Sankarankutty, 1963: larvae undescribed
Porcellanella triloba White, 1852: larvae undescribed
Pseudoporcellanella manoliensis Sankarankutty, 1961: larvae undescribed
Raphidopus ciliatus Stimpson, 1858: larvae undescribed
Raphidopus indicus Henderson, 1893: larvae undescribed
Raphidopus johnsoni Ng & Nakasone, 1994: larvae undescribed
Ulloaia perpusillia Glassell, 1938: larvae undescribed

Acknowledgements

This research was funded by the Spanish Ministry of Education, Culture and Sport through *Salvador de Madariaga* Mobility Program to JIGG (PRX12/00495) and the Migrants and Active Flux in the Atlantic Ocean project (CTM2012-39587-C04-01). Thanks are due to anonymous referees for their comments and corrections that clearly improved the manuscript. This is *Campus de Excelencia Internacional del Mar (CEI-MAR)* publication nº 117.

References

Al-Kholy AA (1959) Larval stages of three anomurans Crustacea (from the Red Sea). Publications of the Marine Biological Station of Al-Ghardaqa 10: 83–86.

Albornoz L, Wehrtmann IS (1996) Aspects of the reproductive biology of *Petrolisthes laevigatus* (Guerin, 1835) (Decapoda, Anomura, Porcellanidae). Part II: Description of the larval development, including the first crab stage, cultivated under laboratory conditions. Archive of Fishery and Marine Research 43: 137–157.

Anger K (2001) The biology of decapod crustacean larvae. Crustacean Issues, 14. A.A. Balkema Publishers, The Netherlands, 419 pp.

Anger K (2006) Contributions of larval biology to crustacean research: a review. Invertebrate Reproduction and Development 49: 175–205. doi: 10.1080/07924259.2006.9652207

Barnich R (1996) The larvae of the Crustacea Decapoda (Excl. Brachyura) in the plankton of the French Mediterranean coast. PhD thesis, University of Münster, Göttingen, Germany.

Bate S (1868) Carcinological gleanings. IV. The Annals and Magazine of Natural History 2: 112–121. doi: 10.1080/00222936808695760

Bate CS (1879) Report on the present stage of our knowledge of Crustacea. IV. On development. Report of the British Association the for Advances of Science 48: 193–209

Boschi E, Scelzo MA, Goldstein B (1967) Desarrollo larval de dos especies de Crustáceos Decápodos en el laboratorio. *Plachycheles haigae* Rodrigues da Costa (Porcellanidae) y *Chasmagnathus granulata* Dana (Grapsidae). Boletín del Instituto de Biologia Marina 12: 1–46.

Bourdillon-Casanova L (1956) Note sur la presence de *Porcellana bluteli* (Risso) Alvarez dans le golfe de Marseille et sur le developpement larvaire de cette espece. Commission internationale de l'exploration scientifique de la mer Méditerranée 13: 225–232.

Bourdillon-Casanova L (1960) Le meroplancton du Golfe de Marseille: Les larves de Crustacés Décapodes. Recuil des Travaux de la Station Marine d'Endoume 18: 1–286.

Brooks WK, Wilson EB (1881) The first zoea of *Porcellana*. In: Studies from the Biological Laboratory of Johns Hopkins University 2: 58–67

Clark PF, Calazans DK, Pohle GW (1998) Accuracy and standardization of brachyuran larval descriptions. Invertebrate Reproduction and Development 33: 127–144. doi: 10.1080/07924259.1998.9652627

Couch RQ (1843) On the metamorphosis of the Crustacea, including the Decapoda, Entomostraca and Pycnogonidae. Reports Transactions Cornwall Polytechnical Society 12: 17–46.

Dos Santos A (1999) Larvas de crustáceos decápodos ao largo da costa portuguesa. PhD thesis, University of Lisboa, Lisboa, Portugal.

Dujardin MF (1843) Observations sur les metamorphoses de la *Porcellana longicornis*, et description de la Zoé, qui est la larve de ce crustacé. Comptes Rendus de l'Academie des Sciences 16: 1204–1207.

Faxon W (1879) On some young stages in development of *Hippa*, *Porcellana* and *Pinnixa*. Bulletin of the Museum of Comparative Zoology at Harvard College 5: 253–268.

Forss CA, Coffin HG (1960) The use of the brine shrimp nauplii, *Artemia salina*, as food for the laboratory culture of decapods. Publications of the Walla Walla College of the Department of Biological Sciences and the Biological Station 26: 1–15.

Fujita Y, Osawa M (2003) Zoeal development of two spot-pattern morphs of *Neopetrolisthes maculatus* and *N. spinatus* (Crustacea: Decapoda: Anomura: Porcellanidae) reared under laboratory conditions. Species Diversity 8: 175–198.

Fujita Y, Shokita S, Osawa M (2002) Complete Larval Development of *Petrolisthes unilobatus* Reared Under Laboratory Conditions (Decapoda : Anomura : Porcellanidae). Journal of Crustacean Biology 22: 567–580. doi: 10.1163/20021975-99990269

Fujita Y, Osawa M (2005) Complete larval development of the rare porcellanid crab, *Novorostrum decorocrus* Osawa, 1998 (Crustacea: Decapoda: Anomura: Porcellanidae), reared under laboratory conditions. Journal of Natural History 39: 763–778. doi: 10.1080/00222930420002000059

Garcia-Guerrero MU, Cuesta JA, Hendrickx ME, Rodríguez A (2005) Larval development of the Eastern Pacific Anomuran Crab *Petrolisthes Robsonae* (Crustacea : Decapoda: Anomura: Porcellanidae) described from laboratory reared material. Journal of the Marine Biological Association of the United Kingdom 85: 339–349. doi: 10.1017/S0025315405011240h

Garcia-Guerrero MU, Rodríguez A, Hendrickx ME (2006) Larval development of the eastern Pacific anomuran crab *Porcellana cancrisocialis* (Crustacea : Decapoda : Anomura : Porcellanidae) described from laboratory reared material. Journal of the Marine Biological Association of the United Kingdom 86: 1123–1132. doi: 10.1017/S002531540601410X

Gonor SL (1970) The larval Histories of Four Porcellanid Anomurans (Crustacea, Decapoda) from Oregon. PhD thesis, Oregon State University.

Gonor SL, Gonor JJ (1973) Descriptions of the larvae of four north pacific Porcellanidae (Crustacea, Anomura). Fishery Bulletin 71: 189–223.

González-Gordillo JI, Cuesta JA, Rodríguez A (1996) Studies on the larval development of northeastern Atlantic and Mediterranean Porcellanidae (Decapoda, Anomura). I - Redescription of the larval stages of *Porcellana platycheles* (Pennant, 1777) reared under laboratory conditions. Helgoländer Meeresuntersuchungen 50: 517–531. doi: 10.1007/BF02367164

González-Gordillo JI, Dos Santos A, Rodríguez A (2001) Checklist and annotated bibliography of decapod Crustacea larvae from the Southwestern European coast (Gibraltar Strait area). Scientia Marina 65: 275–305.

González-Pisani X, Pastor C, Dupré E (2006) Descripción del primer estadio larvario de *Pachycheles chubutensis* (Boschi, 1963) (Crustacea, Decapoda, Anomura) en Patagonia. Investigaciones Marinas, Valparaíso 34(2): 191–196. doi: 10.4067/s0717-71782006000200020

Gore RH (1968) The larval development of the commensal crab *Polyonyx gibbesi* Haig, 1956 (Crustacea, Decapoda). Biological Bulletin 135: 111–129. doi: 10.2307/1539619

Gore RH (1970) *Petrolisthes armatus*: a redescription of larval development under laboratory conditions (Decapoda, Porcellanidae). Crustaceana 18: 75–89. doi: 10.1163/156854070X00086

Gore RH (1971a) The complete larval development of *Porcellana sigsbeiana* (Crustacea, Decapoda) under laboratory conditions. Marine Biology 11: 344–355. doi: 10.1007/BF00352453

Gore RH (1971b) *Megalobrachium poyei* (Crustacea, Decapoda, Porcellanidae): comparison between larval development in Atlantic and Pacific specimens reared in the laboratory. Pacific Science 25: 404–425.

Gore RH (1971c) *Petrolisthes tridentatus*: The development of larvae from a pacific specimen in laboratory culture with a discussion of larval characters in the genus (Crustacea, Decapoda, Porcellanidae). Biological Bulletin 141: 485–501. doi: 10.2307/1540263

Gore RH (1972a) *Petrolisthes armatus* (Gibbes, 1850): The development under laboratory conditions of larvae from a pacific specimen (Decapoda, Porcellanidae). Crustaceana 22: 67–83. doi: 10.1163/156854072X00688

Gore RH (1972b) *Petrolisthes platymerus*: The development of larvae in laboratory culture (Crustacea, Decapoda, Porcellanidae). Bulletin of Marine Science 22: 336–354.

Gore RH (1973a) *Pachycheles monilifer* (Dana, 1852): The development in the laboratory of larvae from an Atlantic specimen with a discussion of some larval characters in the genus (Crustacea, Decapoda, Anomura). Biological Bulletin 144: 132–150. doi: 10.2307/1540151

Gore RH (1973b) Studies on decapod crustacea from the Indian River Region of Florida. II. *Megalobrachium soratium* (Say, 1818): The larval development under laboratory culture (Crustacea: Decapoda; Porcellanidae). Bulletin of Marine Science 23: 838–856.

Gore RH (1975) *Petrolisthes zacae* Haig, 1968 (Crustacea, Decapoda, Porcellanidae): The Development of Larvae in the Laboratory. Pacific Science 29: 181–196.

Gore RH (1977) *Neopisoma angustifrons* (Benedict, 1901): the complete larval development under laboratory conditions, with notes on larvae of the related genus *Pachycheles* (Decapoda, Anomura, Porcellanidae). Crustaceana 33: 284–300. doi: 10.1163/156854077X00421

Gosse PH (1856) Tenby, a sea-side holiday. John Van Voorst, 400 pp.

Gourret P (1884) Considérations sur la faune peélagique du Golfe de Marseille. Annales du Muséum d´Histoire Naturelle de Marseille 2: 1–175.

Greenwood JG (1965) The larval development of *Petrolisthes elongatus* (H. Milne Edwards) and *Petrolisthes novaezelandiae* Filhol (Anomura, Porcellanidae) with notes on breeding. Crustaceana 8: 285–307. doi: 10.1163/156854065X00488

Gurney R (1924) Crustacea. Part IX. Decapod larvae. In: British Antarctic "Terra Nova" Expedition, 1910, Natural History Report, Zoology 8: 37–202.

Gurney R (1938) Notes on some decapod Crustacea from the Red Sea. Proceedings of the Zoological Society of London 108: 73–84.

Gurney R (1939) Bibliography of the larvae of Decapod Crustacea. The Ray Society of London, 123 pp.

Gurney R (1942) Larvae of decapod Crustacea. The Ray Society of London, 306 pp.

Hernández G (1999) Morfología larvaria de cangrejos anomuros de la Familia Porcellanidae Haworth, 1825 (Crustacea: Decapoda), con una clave para las zoeas de los géneros del Atlántico occidental. Ciencia 7(3): 244–257.

Hernández G, Bolaños J, Graterol K, Lira C (2000) The larval development of *Petrolisthes politus* (Gray, 1831) (Crustacea: Decapoda: Porcellanidae) under laboratory conditions. Studies on Neotropical Fauna and Environment 35: 143–156. doi: 10.1076/0165-0521(200008)35:2;1-9;FT143

Hernández G, Bolaños J, Magan I, Graterol K (2007) Morfología de la primera zoea de los cangrejos marinos *Petrolisthes haigae* y *P. nobilii* (Decapoda: Porcellanidae). Revista de Biología Tropical 55: 879–887. doi: 10.15517/rbt.v55i3-4.5963

Hernández G, Bolaños JA, Graterol K (1996) Morfologia de la primera zoea de *Minyocerus angustus* (Dana, 1852) (Crustacea, Anomura, Porcellanidae). Saber 8: 87–92.

Hernández G, Graterol K, Álvarez A, Bolaños JA (1998) Larval development of *Porcellana sayana* (Leach, 1820) (Crustacea: Decapoda: Porcellanidae) under laboratory conditions. Nauplius 6: 101–118.

Hernández G, Graterol K, Bolaños JA, Gaviria JI (2002) Larval development of *Megalobrachium roseum* (Decapoda: Anomura: Porcellanidae) under laboratory conditions. Journal of Crustacean Biology 22: 113–125. doi: 10.1163/20021975-99990214

Hernández G, Lira C, Bolaños JA, Graterol K (1996) Morfologia del primer estadio de zoea de *Pisidia brasiliensis* Haig, 1968 (Anomura, Porcellanidae). In: III Congreso Científico de la Universidad de Oriente, Venezuela.

Hernández G, Magán I (2012) Redescripción de los primeros estadios postembrionarios del cangrejo anomuro *Petrolisthes magdalenensis* Werding, 1978 (Crustacea: Decapoda: Porcellanidae). Boletín del Instituto Oceanografico de Venezuela 51: 35–51.

Hernández G, Magán I, Graterol K, Gaviria JI, Bolaños JA, Lira C (2003) Larval development of *Clastotoechus nodosus* (Streets, 1872) (Crustacea, Decapoda, Porcellanidae), under laboratory conditions. Scientia Marina 67: 419–428. doi: 10.3989/scimar.2003.67n4419

Hesse M (1884) Crustaces rares ou nouveaux des cotes de france. Annales des Sciences Naturelles 6: 1–14.

Hiller A, Kraus H, Almon M, Werding B (2006) The *Petrolisthes galathinus* complex: Species boundaries based on color pattern, morphology and molecules, and evolutionary interrela-

tionships between this complex and other Porcellanidae (Crustacea: Decapoda: Anomura). Molecular Phylogenetics and Evolution 40: 547–569. doi: 10.1016/j.ympev.2006.03.030

Kaya B, Özel I (1992) Planktonic larval stages of porcellanid Crustacea (Crustacea, Decapoda, Anomura) in Izmir Bay. Journal of the Faculty of Science 14: 79–91.

Kim HJ, Ko HS (2011) Zoeal Stages of *Pisidia serratifrons* (Crustacea: Decapoda: Porcellanidae) under Laboratory Conditions. The Korean Journal of Systematic Zoology 27: 53–58. doi: 10.5635/KJSZ.2011.27.1.053

Klaus C (1876) Untersuchungen und Erforschung der genealogischen Grundlage des Crustaceen Systems. Caul Gekolivs Sohn, 180 pp. doi: 10.5962/bhl.title.8205

Knight MD (1966) The larval development of *Polyonyx quadriungulatus* Glasell and *Pachycheles rudis* Stimpson (Decapoda, Porcellanidae) cultured in the laboratory. Crustaceana 10: 75–97. doi: 10.1163/156854066X00090

Ko HS (1999) First Zoea of *Pachycheles hertwigi* Balss, 1913 (Decapoda: Anomura: Porcellanidae) Reared under Laboratory Conditions. Korean Journal of Biological Sciences 3: 127–131. doi: 10.1080/12265071.1999.9647475

Ko HS (2000) First Zoea of *Enosteoides ornata* (Stimpson, 1858) (Crustacea, Decapoda, Anomura, Porcellanidae) Reared under Laboratory Conditions. Korean Journal of Biological Sciences 5: 11–15. doi: 10.1080/12265071.2001.9647576

Ko HS (2004) First Zoea of *Petrolisthes trilobatus* (Crustacea: Decapoda: Anomura: Porcellanidae) Hatched in the Laboratory. Korean Journal of Biological Sciences 8: 251–254. doi: 10.1080/12265071.2004.9647758

Konishi K (1987) The larval development of *Pachycheles stevensii* Stimpson, 1858 (Crustacea, Anomura, Porcellanidae) under laboratory conditions. Journal of Crustacean Biology 7: 481–492. doi: 10.2307/1548296

Kraus H (2006) Larvalmorphologie der Porcellanidae (Crustacea: Decapoda: Anomura). PhD thesis, Justus-Liebig-Universität Giessen, Giesen, Germany.

Kraus H, Hiller A, Cruz N (2004) The Zoeal Stages of *Petrolisthes caribensis* Werding, 1983 Reared Under Laboratory Conditions (Decapoda : Anomura : Porcellanidae). Studies on Neotropical Fauna and Environment 39: 85–90. doi: 10.1080/01650520412331271016

Kurata H (1964) Larvae of decapod Crustacea of Hokkaido, 7. Porcellanidae (Anomura). Bulletin of Hokkaido Regional Fishery Research Laboratory 29: 66–70.

Kurian CV (1956) Larvae of decapod crustacea from the Adriatic Sea. Acta Adriatica 6(3): 1–108.

Le Roux A (1961) Contribution a l'etude du developpement larvaire de *Porcellana platycheles* Pennant (Crustace Decapode). Comptes Rendus de l'Academie des Sciences 253: 2146–2148.

Le Roux A (1966) Le developpement larvaire de *Porcellana longicornis* Pennant (Crustace, Decapode, Anomure, Galatheide). Cahiers de Biologie Marine 7: 69–78.

Lebour MV (1943) The larvae of the genus *Porcellana* (Crustacea, Decapoda) and related forms. Journal of the Marine Biological Association of the United Kingdom 25: 721–737. doi: 10.1017/S0025315400012479

Lebour MV (1950) Notes on some larval decapods (Crustacea) from Bermuda. Proceedings of the Zoological Society of London 120: 369–379. doi: 10.1111/j.1096-3642.1950.tb00955.x

Lebour MV (1959) The larval decapod Crustacea of Tropical West Africa. Atlantide Reports 5: 119–143.

Linnaeus C (1767) Systema naturae, Tome I. Pars II. Editio duodecima, reformata. Laurentii Salvii, Holmiae, 533–1327.

Macillan FE (1972) The larval development of northern California Porcellanidae (Decapoda, Anomura). I. *Pachycheles pubescens* Holmes in comparison to *Pachycheles rudis* Stimpson. Biological Bulletin 142: 57–70. doi: 10.2307/1540246

Marco-Herrero E, Torres A, Cuesta JA, Guerao G, Palero F, Abelló P (2013) The systematic position of *Ergasticus* (Decapoda, Brachyura) and allied genera, a molecular and morphological approach. Zoologica Scripta 42: 427–439. doi: 10.1111/zsc.12012

Maris RC (1983) A Key to the Porcellanid Crab Zoeae (Crustacea: Decapoda: Anomura) of the North Central Gulf of Mexico and a Comparison of Meristic Characters of Four Species. Gulf Research Reports 7(3): 237–246. doi: 10.18785/grr.0703.05

Martin JW (1984) Notes and bibliography on the larvae of xanthid crabs, with a key to the known xanthid zoeas of the western atlantic and Gulf of Mexico. Bulletin of Marine Science 34: 220–239.

Meyer-Rochow VB, Meha WP (1994) Tidal rhythm and the role of vision in shelter-seeking behaviour of the half-crab *Petrolisthes elongatus* (Crustacea; Anomura; Porcellanidae). Journal of The Royal Society of New Zealand 24: 423–427. doi: 10.1080/03014223.1994.9517477

Müller F (1862) On the transformations of the *Porcellanae*. The Annals and Magazine of Natural History 11: 47–50.

Müller HG, Werding B (1990) Larval development of *Petrolisthes magdalenensis* Werding, 1978 (Decapoda, Anomura, Porcellanidae) under laboratory conditions. Cahiers de Biologie Marine 31: 257–270.

Muraoka K, Konishi K (1987) The first zoeal stage of the porcellanid crab, *Petrolisthes japonicus* (De Haan, 1849) with special reference to zoeal features of *Petrolisthes* (Crustacea, Anomura). Researches on Crustacea 16: 57–65.

Ng PKL, Nakasone (1993) Taxonomy and ecology of the porcellanid crab *Polyonyx cometes* Walker, 1887 (Crustacea: Decapoda), with description of a new genus. Journal of Natural History 27: 1103–1117. doi: 10.1080/00222939300770681

Osawa M (1995) Larval development of four *Petrolisthes* species (Decapoda, Anomura, Porcellanidae) under laboratory conditions, with comments on the larvae of the genus. Crustacean Research 24: 157–187.

Osawa M (1997a) First zoeae of *Pachycheles garciaensis* (Ward) and *Pachycheles sculptus* (H. Milne Edwards) (Crustacea, Decapoda, Anomura, Porcellanidae) reared under laboratory conditions. Plankton Biology and Ecology 44: 31–40.

Osawa M (1997b) Zoeal development of four Indo-West Pacific species of *Petrolisthes* (Crustacea, Decapoda, Anomura, Porcellanidae). Species Diversity 2: 121–143.

Osawa M (2000) Zoeal development of *Novorostrum indicum* (Crustacea: Decapoda: Porcellanidae) Reared under laboratory conditions. Species Diversity 5: 13–22.

Osawa M, McLaughlin PA (2010) Annotated checklist of anomuran decapod crustaceans of the world (exclusive of the Kiwaoidea and families Chirostylidae and Galatheidae of the Galatheoidea) Part II-Porcellanidae. Raffles Bulletin of Zoology 23: 109–129.

Pellegrini NC, Gamba AL (1985) Larval development of *Petrolisthes tonsorius* Haig, 1960, under laboratory conditions (Decapoda, Porcellanidae). Crustaceana 49: 251–267. doi: 10.1163/156854085X00576

Piñate M, Lira C, Hernández G (2005) Larval development of *Pachycheles pilosus* (H. Milne Edwards, 1837) (Crustacea: Decapoda: Porcellanidae) under laboratory conditions. Caribbean Journal of Science 41: 824–833.

Rabalais NN, Gore RH (1985) Abbreviated development in decapods. In: Wenner AM (Ed.) Larval Growth. A.A. Balkema Publishers, Rotterdam, 67–126.

Rice AL (1993) Two centuries of larval crab papers: A preliminary analysis. In: Truesdale F (Ed.) History of Carcinology. A.A. Balkema Publishers, Rotterdam, 285–292.

Rice AL, Williamson DI (1977) Planktonic stages of Crustacea Malacostraca from Atlantic Seamounts. Meteor Forschungsergehnisse D26: 28–64.

Roberts MH (1968) Larval development of the decapod *Euceramus praelongus* in laboratory culture. Chesapeake Science 9: 121–130. doi: 10.2307/1351254

Rodríguez IT, Hernández G, Magán I, Bolaños JA, Felder DL (2004) Larval development of *Pachycheles serratus* (Decapoda: Anomura: Porcellanidae) under laboratory conditions, with notes on the larvae genus. Journal of Crustacean Biology 24: 291–308. doi: 10.1651/C-2402

Saelzer HE, Quintana R, Quiñones R (1986) Larval development of *Petrolisthes granulosus* (Guerin, 1835) (Decapoda, Anomura, Porcellanidae) under laboratory conditions. Journal of Crustacean Biology 6: 804–819. doi: 10.2307/1548393

Sankolli KN (1967) Studies on larval development in Anomura (Crustacea, Decapoda). Proceedings of the Symposium on Crustacea, Marine Biology Association of India 2: 744–776.

Sars GO (1889) Bidrag til kundskaben om decapodernes forvandlinger. Archiv for Mathematik og Naturvidenskab 13: 133–201.

Schoppe S (1994) Larval development of *Clastotoechus vanderhorsti* (Schmitt, 1924) (Decapoda, Porcellanidae). Ophelia 39: 107–119. doi: 10.1080/00785326.1994.10429538

Seridji R (1971) Contribution a l'etude des larves crustaces decapodes en baie d'Alger. Pelagos 3: 1–105.

Shenoy S, Sankolli KN (1973a) Larval development of a porcellanid crab *Pachycheles natalensis* (Krauss) (Decapoda, Anomura). Journal of the Marine Biological Association of India 15: 545–555.

Shenoy S, Sankolli KN (1973b) Metamorphosis of two species of genus *Polyonyx* Stimpson – *P. hendersoni* Southwell and *P. loimicola* Sankolli (Anomura, Porcellanidae). Journal of the Marine Biological Association of India 15(2): 710–727.

Shenoy S, Sankolli KN (1975) On the Life History of a Porcellanid Crab, *Petrolisthes lamarckii* (Leach), as observed in the Laboratory. Journal of the Marine Biological Association of India 17(2): 147–159.

Sheperd MC (1969) The larval morphology of *Polyonyx transversus* (Haswell), *Pisidia dispar* (Stimpson) and *Pisidia streptochiroides* (De Man) (Decapoda:Porcellanidae). Proceedings of the Royal Society of Queensland 80: 97–124.

Soltanpour-Gargari A, Engelmann R, Wellershaus S (1989) Development and rearing of zoea larvae in Brachyura (Crustacea Decapoda): A bibliography. Crustaceana Supl. 14: 1–173.

Thiriot A (1974) Larves de Decápodes Macrura et Anomura, especes europeennes; Caracteres morphologiques et observations ecologiques. Thalassia Jugoslavica 10: 341–378.

Tirmizi NM, Yaqoob M (1979) Larval development of *Pachycheles tomentosus* Henderson (Anomura, Porcellanidae) with descriptive remarks on the adults from Karachi waters (Northern Arabian Sea). Pakistan Journal of Zoology 11: 29–42.

Thompson JV (1835) Memoir on the metamorphosis in *Porcellana* and *Portunus*. Entomological Magazine 3: 275–280.

Wear RG (1964a) Larvae of *Petrolisthes elongatus* (Milne Edwards, 1837) (Crustacea, Decapoda, Anomura). Transactions of the Royal Society of New Zealand 5: 40–53.

Wear RG (1964b) Larvae of *Petrolisthes novaezelandiae* Filhol, 1885 (Crustacea, Decapoda, Anomura). Transactions of the Royal Society of New Zealand 4: 229–244.

Wear RG (1965) Larvae of *Petrocheles spinosus* Miers, 1876 (Crustacea, Decapoda, Anomura) with keys to New Zealand porcellanid larvae. Transactions of the Royal Society of New Zealand 5: 147–168.

Wear RG (1966) Pre-zoea larva of *Petrocheles spinosus* Miers, 1876 (Crustacea, Decapoda, Anomura). Transactions of the Royal Society of New Zealand 8: 119–124.

Wear RG (1985) Checklist and annotated bibliography of New Zealand decapod crustacean larvae (Natantia, Macrura Reptantia, and Anomura). Zoology Publications from Victoria University of Wellington 79: 1–15.

Webb GE (1921) The larvae of the Decapoda Macrura and Anomura of Plymouth. Journal of the Marine Biological Association of the United Kingdom (New Series) 12(3): 385–425. doi: 10.1017/S0025315400006287

Wehrtmann IS, Albornoz L, Pardo LM, Veliz D (1997) The larval development of *Petrolisthes violaceus* (Guerin, 1831) (Decapoda, Anomura, Porcellanidae) from chilean waters, cultivated under laboratory conditions. Crustaceana 70: 562–583. doi: 10.1163/156854097X00681

Wehrtmann IS, Albornoz L, Veliz LM, Pardo LM (1996) Early developmental stages, including the first crab, of *Allopetrolisthes angulosus* (Decapoda, Anomura, Porcellanidae) from Chile, reared in the laboratory. Journal of Crustacean Biology 16: 730–747. doi: 10.2307/1549192

Wehrtmann IS, Báez P (1997) Larvas y estadíos tempranos de desarrollo de crustáceos decápodos de Chile: descripciones publicadas. Investigaciones Marinas, Valparaíso, 263–276. doi: 10.4067/s0717-71781997002500019

Werding VB, Müller HG (1990) Larval development of *Neopisisoma neglectum* Werding, 1986 (Decapoda, Anomura, Porcellanidae) under laboratory conditions. Helgoländer Meeresuntersuchungen 44: 363–374. doi: 10.1007/BF02365473

Williamson DI (1970) On a collection of planktonic Decapoda and Stomatopoda (Crustacea) from the east coast of the Sinai Peninsula, Northern Red Sea. Bull. Sea Bulletin Sea Fisheries Research Station (Haifa) 56: 1–48.

Williamson HC (1915) Crustacea Decapoda, Larvae, VIII. Fiches D'identification Du Zooplancton 166/167, 8 pp.

Williamson DI (1970) On a collection of planktonic Decapoda and Stomatopoda (Crustacea) from the east coast of the Sinai Peninsula, Northern Red Sea. Bulletin of Sea Fisheries Research Station of Haifa 56: 1–48.

Yaqoob M (1974) Larval development of *Petrolisthes rufescens* (Heller, 1861) (Decapoda: Porcellanidae) under laboratory conditions. Pakistan Journal of Zoology 6: 47–61.

Yaqoob M (1977) The development of larvae of *Petrolisthes ornatus* Paulson, 1875 (Decapoda, Porcellanidae) under laboratory conditions. Crustaceana 32: 241–255. doi: 10.1163/156854077X00728

Yaqoob M (1979a) Culturing of *Petrolisthes boscii* (Adouin, 1826) (Crustacea: Decapoda: Porcellanidae) in the laboratory. Pakistan Journal of Zoology 11: 57–67.

Yaqoob M (1979b) Larval development of *Pisidia dehaanii* (Krauss, 1843) under laboratory conditions (Decapoda, Porcellanidae). Crustaceana Supplement 5: 69–76.

Yaqoob M (1979c) Rearing of *Petrolisthes lamarckii* (Leach, 1820) under laboratory conditions (Decapoda, Porcellanidae). Crustaceana 37: 253–264. doi: 10.1163/156854079X01130

Yaqoob M (1979d) Larval development of *Pachycheles natalensis* (Krauss, 1843) under laboratory conditions (Decapoda, Porcellanidae). Biologia, Lahore 25: 23–34.